

Notice of Allowability	Application No.	Applicant(s)	
	10/636,032	HIEB, LARRY E.	
	Examiner	Art Unit	
	Kenneth W Noland	3653	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the original application filed on 08-07-03.

2. The allowed claim(s) is/are 1-16.

3. The drawings filed on 07 August 2003 are accepted by the Examiner.

4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All b) Some* c) None of the:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. _____.

3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date _____.

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 04-27-05
- 4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
- 5. Notice of Informal Patent Application (PTO-152)
- 6. Interview Summary (PTO-413),
Paper No./Mail Date 04-27-05
- 7. Examiner's Amendment/Comment
- 8. Examiner's Statement of Reasons for Allowance
- 9. Other _____.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr Fulgham on **04-27-05*.

In claim 1, on line 7 "adaptable" has been changed to – comprising a means -- . On line 9, of claim 1, " is adaptable to receiving" has been changed to – receives--.

2. The following is an examiner's statement of reasons for allowance: The claims have been allowed because claim 1 recites a vending machine having an actual product depth for the dispenser. There is a product dispensing mechanism depth setting for the dispenser. There is a product vend detector having a means to sense when the product is dispensed. There is a controller which receives signals from the product vend

detector and which adjusts the product dispensing mechanism depth setting to match to the actual product depth. Claim 12 recites a method for dispensing products from a vending machine. There is the actual product depth for the dispenser. There is the setting of a first product depth setting for the dispenser. There is the sensing when products are dispensed to provide input signals. There is the comparing of the input signals to the first product depth setting , and adjusting the first product depth setting to a second product depth setting that matches the actual product depth. The claimed invention is not disclosed nor taught by the cited prior art or any combination thereof.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth W Noland whose telephone number is (571) 272-6941. The examiner can normally be reached on Monday-Thursday ,each week.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Walsh can be reached on (703) 306-4173. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



KENNETH W. NOLAND
PRIMARY EXAMINER
